

Citric Acid Monohydrate

Datum vytvoření	18.10.2018	Číslo verze	3.0
Datum revize	17.4.2023		

ODDÍL 1: Identifikace látky/směsi a společnosti/podniku

1.1. Identifikátor výrobku

Látka / směs	Citric Acid Monohydrate látka
Chemický název	citric-acid-monohydrate
Číslo CAS	5949-29-1
Číslo ES (EINECS)	201-069-1
Registrační číslo	01-2119457026-42-xxxx

1.2. Příslušná určená použití látky nebo směsi a nedoporučená použití

Určená použití látky

Činidlo upravující kyselost (acidulant); E 330, stavební průmysl, papírenský průmysl, meziprodukt; polymery a plasty, povrchová úprava kovů.

Nedoporučená použití látky

neuveдено

Přílohou bezpečnostního listu je scénář expozice.

1.3. Podrobné údaje o dodavateli bezpečnostního listu

Distributor

Jméno nebo obchodní jméno	HSH Chemie s.r.o.
Adresa	Walterovo náměstí 329/3, Praha 5, 158 00 Česká republika
Identifikační číslo (IČO)	26152011
DIČ	CZ26152011
Telefon	+420 261 22 35 55
Email	czechrepublic@hsh-chemie.com
Adresa www stránek	www.hsh-chemie.com

Adresa elektronické pošty odborně způsobilé osoby odpovědné za bezpečnostní list

Jméno	HSH Chemie s.r.o.
Email	czechrepublic@hsh-chemie.com

1.4. Telefonní číslo pro naléhavé situace

Telefonní číslo pro naléhavé situace: Toxikologické informační středisko, Klinika pracovního lékařství Všeobecné fakultní nemocnice v Praze (24 hodinová služba) +420 224 91 92 93, 224 915 402.

ODDÍL 2: Identifikace nebezpečnosti

2.1. Klasifikace látky nebo směsi

Klasifikace látky podle nařízení (ES) č. 1272/2008

Látka je klasifikována jako nebezpečná.

Eye Irrit. 2, H319

Plný text všech klasifikací a H-vět je uveden v oddíle 16.

Nejzávažnější nepříznivé účinky na lidské zdraví a životní prostředí

Způsobuje vážné podráždění očí.

2.2. Prvky označení

Výstražný symbol nebezpečnosti



Signální slovo

Varování

Standardní věty o nebezpečnosti

H319 Způsobuje vážné podráždění očí.



BEZPEČNOSTNÍ LIST

podle nařízení Komise (EU) 2020/878, v platném znění

Citric Acid Monohydrate

Datum vytvoření 18.10.2018
Datum revize 17.4.2023 Číslo verze 3.0

Pokyny pro bezpečné zacházení

P101 Je-li nutná lékařská pomoc, mějte po ruce obal nebo štítek výrobku.
P102 Uchovávejte mimo dosah dětí.
P264 Po manipulaci důkladně omyjte ruce a zasažené části těla.
P280 Používejte ochranné rukavice/ochranný oděv/ochranné brýle/obličejový štít.
P305+P351+P338 PŘI ZASAŽENÍ OČÍ: Několik minut opatrně vyplachujte vodou. Vyjměte kontaktní čočky, jsou-li nasazeny a pokud je lze vyjmout snadno. Pokračujte ve vyplachování.
P337+P313 Přetrvává-li podráždění očí: Vyhledejte lékařskou pomoc/ošetření.

2.3. Další nebezpečnost

Látka nemá vlastnosti vyvolávající narušení endokrinní činnosti v souladu s kritérii stanovenými v nařízení Komise v přenesené pravomoci (EU) 2017/2100 nebo v nařízení Komise (EU) 2018/605. Látka nespĺňuje kritéria pro látky PBT nebo vPvB v souladu s přílohou XIII, nařízení (ES) č. 1907/2006 (REACH), v platném znění. Prach může se vzduchem tvořit výbušnou směs.

ODDÍL 3: Složení/informace o složkách

3.1. Látky

Chemická charakteristika

Níže uvedená látka.
Chemický vzorec: C6-H8-O7
Molekulová váha: 192.43

Identifikační čísla	Název látky	Obsah v % hmotnosti	Klasifikace dle nařízení (ES) č. 1272/2008	Pozn.
CAS: 5949-29-1 ES: 201-069-1 Registrační číslo: 01-2119457026-42- xxxx	hlavní složka látky citric-acid-monohydrate		Eye Irrit. 2, H319	1

Poznámky

1 Látka, pro kterou jsou stanoveny expoziční limity.
Plný text všech klasifikací a H-vět je uveden v oddíle 16.

ODDÍL 4: Pokyny pro první pomoc

4.1. Popis první pomoci

V případě přetrvávajících nepříznivých účinků se poraďte s lékařem. Odstraňte kontaminované, nasáklé oblečení.

Při vdechnutí

Okamžitě přerušete expozici, dopravte postiženého na čerstvý vzduch.

Při styku s kůží

Omyjte velkým množstvím vody a mýdla.

Při zasažení očí

Rozevřete oční víčka a pečlivě vyplachujte vodou po dobu min. 15 minut. Vyhledejte lékařskou pomoc přetrvává-li podráždění.

Při požití

Vypláchněte pečlivě ústa vodou. Nikdy nepodávejte nic ústy osobě v bezvědomí. Nevyvolávejte zvracení.

4.2. Nejdůležitější akutní a opožděné symptomy a účinky

Při vdechnutí

Neočekávají se.

Při styku s kůží

Neočekávají se.

Při zasažení očí

Způsobuje vážné podráždění očí.

Při požití

Podráždění, nevolnost.

4.3. Pokyn týkající se okamžité lékařské pomoci a zvláštního ošetření

Léčba symptomatická.



BEZPEČNOSTNÍ LIST

podle nařízení Komise (EU) 2020/878, v platném znění

Citric Acid Monohydrate

Datum vytvoření 18.10.2018
Datum revize 17.4.2023 Číslo verze 3.0

ODDÍL 5: Opatření pro hašení požáru

5.1. Hasiva

Vhodná hasiva

CO₂, pěna odolná alkoholu, prášek, voda -tříštěný proud.

Nevhodná hasiva

Voda - plný proud.

5.2. Zvláštní nebezpečnost vyplývající z látky nebo směsi

V případě požáru se může uvolňovat : oxid uhličitý (CO₂; oxid uhelnatý (CO)

5.3. Pokyny pro hasiče

Noste nezávislý dýchací přístroj a ochranné oblečení.

ODDÍL 6: Opatření v případě náhodného úniku

6.1. Opatření na ochranu osob, ochranné prostředky a nouzové postupy

Viz oddíl 7 a 8 – ochranná opatření. Zabraňte kontaktu s kůží, očima a oblečením. Zajistěte adekvátní odsávání. Vyhněte se formaci plynu. Odstraňte zdroje zápalu.

6.2. Opatření na ochranu životního prostředí

Zabraňte kontaminaci půdy a úniku do povrchových nebo spodních vod.

6.3. Metody a materiál pro omezení úniku a pro čištění

Sbírejte mechanicky. Při sběru zacházejte s materiálem jak je předepsáno v položce „ Metody nakládání s odpady“.

6.4. Odkaz na jiné oddíly

Viz oddíl 7., 8. a 13.

ODDÍL 7: Zacházení a skladování

7.1. Opatření pro bezpečné zacházení

Zajistěte dobré odsávání na pracovišti (místní odvětrávání). Vyhněte se tvorbě a ukládání prachu. NEJEZTE, NEPIJTE a nekuřte během pracovní doby. Odstraňte z dosahu krmiv a pití. Umyjte si ruce před přestávkou a po skončení práce. Nevdechujte prach. Odstraňte okamžitě nasáklé a znečištěné oblečení. Tvorba prachu může vytvářet výbušné směsi se vzduchem. Odstraňte z dosahu horka nebo vznícení.

7.2. Podmínky pro bezpečné skladování látek a směsí včetně neslučitelných látek a směsí

Udržujte kontejner těsně uzavřený a na suchém, chladném a dobře větraném místě. Chraňte před světlem. Nádoby, které byly otevřeny, musí být pečlivě uzavřeny a uchovávány ve svislé poloze, aby se zabránilo úniku. Vždy udržujte v nádobě stejný materiál jako původní.

Neskladujte společně s: oxidační činidla; louhy;kovy; redukční činidla.

Specifické požadavky nebo pravidla vztahující se k látce/směsi

7.3. Specifické konečné/specifická konečná použití

neuveдено

ODDÍL 8: Omezování expozice/osobní ochranné prostředky

8.1. Kontrolní parametry

Česká republika

Nařízení vlády 41/2020 Sb.

Název látky (složky)	Typ	Hodnota	Přepočít na ppm
kyselina citrónová (CAS: 5949-29-1)	PELc	4,0 mg/m ³	

PNEC

Citric Acid Monohydrate

Cesta expozice	Hodnota	Stanovení hodnoty	Zdroj
Pitná voda	0,44 mg/l		
Mořská voda	0,044 mg/l		
Sladkovodní sedimenty	3,46 mg/kg TH/den		
Mořské sedimenty	34,6 mg/kg TH/den		
Půda (zemědělská)	33,1 mg/kg TH/den		



BEZPEČNOSTNÍ LIST

podle nařízení Komise (EU) 2020/878, v platném znění

Citric Acid Monohydrate

Datum vytvoření 18.10.2018
Datum revize 17.4.2023 Číslo verze 3.0

Citric Acid Monohydrate

Cesta expozice	Hodnota	Stanovení hodnoty	Zdroj
Mikroorganismy v systémech čištění odpadních vod	>1000 mg/l		

8.2. Omezování expozice

Při práci nejezte, nepijte a nekuřte. Po práci a před přestávkou na jídlo a oddech si důkladně omyjte ruce vodou a mýdlem.

Ochrana očí a obličeje

Bezpečnostní brýle s bočním ochranným štítem (EN 166)

Ochrana kůže

Při intenzivním styku používat ochranné rukavice (EN 374). V každém případě by měly být ochranné rukavice před použitím testovány vzhledem k jejich vhodnosti na daném pracovišti (tj. mechanická odolnost, snášenlivost s produktem a antistatické vlastnosti). Řiďte se pokyny a informacemi týkající se používání, skladování, péče a výměny rukavic výrobce. Ochranné rukavice musí být okamžitě vyměněny, pokud jsou poškozené nebo opotřebované. Rozvrhněte si práci tak, abyste zabránili trvalému používání ochranných rukavic.

Jiná ochrana: běžný protichemický oblek.

Ochrana dýchacích cest

Pokud jsou překročeny limity na pracovišti, musí se nosit ochrana dýchacích cest schválená pro konkrétní pracoviště. V případě formování prachu, přijměte vhodná opatření pro ochranu dýchání pokud mezní hodnoty na pracovišti nejsou specifikovány.

Teplné nebezpečí

Neuvedeno.

Omezování expozice životního prostředí

Dbejte obvyklých opatření na ochranu životního prostředí, viz bod 6.2.

Další údaje

Přílohou bezpečnostního listu je scénář expozice.

ODDÍL 9: Fyzikální a chemické vlastnosti

9.1. Informace o základních fyzikálních a chemických vlastnostech

Skupenství	pevné
Barva	bezbarvý až bílý
Zápach	bez zápachu
Bod tání/bod tuhnutí	153 °C
Bod varu nebo počáteční bod varu a rozmezí bodu varu	údaj není k dispozici
Hořlavost	údaj není k dispozici
Dolní a horní mezní hodnota výbušnosti	údaj není k dispozici
Bod vzplanutí	údaj není k dispozici
Teplota samovznícení	údaj není k dispozici
Teplota rozkladu	údaj není k dispozici
pH	1,7 (5% roztok)
Kinematická viskozita	údaj není k dispozici
Rozpustnost ve vodě	590 g/L
Rozpustnost v tucích	údaj není k dispozici
Rozdělovací koeficient n-oktanol/voda (logaritmická hodnota)	-0,2 až -1,8
Tlak páry	údaj není k dispozici
Hustota a/nebo relativní hustota hustota	1.665 g/cm ³ při 20 °C
Relativní hustota páry	údaj není k dispozici
Charakteristiky částic	údaj není k dispozici

9.2. Další informace

Rychlost odpařování	neaplikovatelné
Vzhled	krystalický prášek
Oxidační vlastnosti	Produkt není klasifikován jako oxidační.



BEZPEČNOSTNÍ LIST

podle nařízení Komise (EU) 2020/878, v platném znění

Citric Acid Monohydrate

Datum vytvoření 18.10.2018
Datum revize 17.4.2023 Číslo verze 3.0

Výbušné vlastnosti Produkt není klasifikován jako výbušný.
-Disociační konstant: kPa 3,13 4,76 a 6,4 při 25°C.

ODDÍL 10: Stálost a reaktivita

10.1. Reaktivita

Data nejsou k dispozici.

10.2. Chemická stabilita

Data nejsou k dispozici.

10.3. Možnost nebezpečných reakcí

Data nejsou k dispozici.

10.4. Podmínky, kterým je třeba zabránit

Teplota.

10.5. Neslučitelné materiály

Redukční činidla, louhy; oxidační činidla, kovy

10.6. Nebezpečné produkty rozkladu

Za normálního způsobu použití nevznikají. Při vysokých teplotách a při požáru vznikají nebezpečné produkty, jako např. oxid uhelnatý a oxid uhličitý.

ODDÍL 11: Toxikologické informace

11.1. Informace o třídách nebezpečnosti vymezených v nařízení (ES) č. 1272/2008

Pro látku nejsou žádné toxikologické údaje k dispozici.

Akutní toxicita

Na základě dostupných údajů nejsou kritéria pro klasifikaci splněna.
citric-acid-monohydrate

Cesta expozice	Parametr	Metoda	Hodnota	Doba expozice	Druh	Pohlaví
Orálně	LD50	OECD 401	>5400 mg/kg		Krysa	
Dermálně	LD50	OECD 402	>2000 mg/kg		Potkan (Rattus norvegicus)	

Žíravost / dráždivost pro kůži

Na základě dostupných údajů nejsou kritéria pro klasifikaci splněna.

Vážné poškození očí / podráždění očí

Způsobuje vážné podráždění očí.

Senzibilizace dýchacích cest / senzibilizace kůže

Na základě dostupných údajů nejsou kritéria pro klasifikaci splněna.

Mutagenita v zárodečných buňkách

Na základě dostupných údajů nejsou kritéria pro klasifikaci splněna.

Karcinogenita

Na základě dostupných údajů nejsou kritéria pro klasifikaci splněna.

Toxicita pro reprodukci

Na základě dostupných údajů nejsou kritéria pro klasifikaci splněna.

Toxicita pro specifické cílové orgány – jednorázová expozice

Na základě dostupných údajů nejsou kritéria pro klasifikaci splněna.

Toxicita pro specifické cílové orgány – opakovaná expozice

Na základě dostupných údajů nejsou kritéria pro klasifikaci splněna.

Nebezpečnost při vdechnutí

Na základě dostupných údajů nejsou kritéria pro klasifikaci splněna.

11.2. Informace o další nebezpečnosti

neuveдено

ODDÍL 12: Ekologické informace

12.1. Toxicita

BEZPEČNOSTNÍ LIST

podle nařízení Komise (EU) 2020/878, v platném znění

Citric Acid Monohydrate

Datum vytvoření 18.10.2018
 Datum revize 17.4.2023 Číslo verze 3.0

Akutní toxicita

citric-acid-monohydrate

Parametr	Metoda	Hodnota	Doba expozice	Druh	Prostředí
NOEC		425 mg/l	48 hodin	Řasy (Selenastrum capricornutum)	
LC50	OECD 203	440 mg/l	48 hodin	Ryby (Oncorhynchus mykiss)	
LC50		1,535 mg/l	24 hodin	Dafnie (Daphnia magna)	

12.2. Perzistence a rozložitelnost

Látka je biologicky rozložitelná.

12.3. Bioakumulační potenciál

Neočekává se.

12.4. Mobilita v půdě

pKa: 3.13, 4.76 a 6.4 při 25°C

12.5. Výsledky posouzení PBT a vPvB

Produkt neobsahuje látky splňující kritéria pro látky PBT nebo vPvB v souladu s přílohou XIII, nařízení (ES) č. 1907/2006 (REACH) v platném znění.

12.6. Vlastnosti vyvolávající narušení činnosti endokrinního systému

S ohledem na necílové organismy látka nemá vlastnosti vyvolávající narušení činnosti endokrinního systému, protože nespĺňuje kritéria stanovená v příloze B nařízení (EU) 2017/2100.

12.7. Jiné nepříznivé účinky

Neuvedeno.

ODDÍL 13: Pokyny pro odstraňování

13.1. Metody nakládání s odpady

Nebezpečí kontaminace životního prostředí, postupujte podle zákona č. 541/2020 Sb. o odpadech, v platném znění, a podle prováděcích předpisů o zneškodňování odpadů. Postupujte podle platných předpisů o zneškodňování odpadů. Nepoužitý výrobek a znečištěný obal uložte do označených nádob pro sběr odpadu a předejte k odstranění oprávněné osobě k odstranění odpadu (specializované firmě), která má oprávnění k této činnosti. Nepoužitý výrobek nevylévat do kanalizace. Nesmí se odstraňovat společně s komunálními odpady. Prázdné obaly je možno energeticky využít ve spalovně odpadů nebo ukládat na skládce příslušného zařazení. Dokonale vyčištěné obaly je možné předat k recyklaci.

Právní předpisy o odpadech

Zákon č. 541/2020 Sb., o odpadech, v platném znění. Vyhláška č. 8/2021 Sb., o Katalogu odpadů a posuzování vlastností odpadů (Katalog odpadů). Rozhodnutí 2000/532/ES, kterým se stanoví seznam odpadů, ve znění pozdějších předpisů. Zákon č. 545/2020 Sb., kterým se mění zákon č. 477/2001 Sb., o obalech a o změně některých zákonů (zákon o obalech), ve znění pozdějších předpisů. Vyhláška č. 273/2021 Sb., o podrobnostech nakládání s odpady, v platném znění.

Kód druhu odpadu

16 03 05 Organické odpady obsahující nebezpečné látky *

Kód druhu odpadu pro obal

15 01 10 Obaly obsahující zbytky nebezpečných látek nebo obaly těmito látkami znečištěné *

15 02 02 Absorpční činidla, filtrační materiály (včetně olejových filtrů jinak blíže neurčených), čisticí tkaniny a ochranné oděvy znečištěné nebezpečnými látkami *

(*) - nebezpečný odpad podle směrnice 2008/98/ES o nebezpečných odpadech

ODDÍL 14: Informace pro přepravu

14.1. UN číslo nebo ID číslo

nepodléhá předpisům o přepravě

14.2. Oficiální (OSN) pojmenování pro přepravu

není relevantní

14.3. Třída/třídy nebezpečnosti pro přepravu

není relevantní



BEZPEČNOSTNÍ LIST

podle nařízení Komise (EU) 2020/878, v platném znění

Citric Acid Monohydrate

Datum vytvoření	18.10.2018	Číslo verze	3.0
Datum revize	17.4.2023		

14.4. Obalová skupina

není relevantní

14.5. Nebezpečnost pro životní prostředí

není relevantní

14.6. Zvláštní bezpečnostní opatření pro uživatele

Odkaz v oddílech 4 až 8.

14.7. Námořní hromadná přeprava podle nástrojů IMO

není relevantní

ODDÍL 15: Informace o předpisech

15.1. Předpisy týkající se bezpečnosti, zdraví a životního prostředí/specifické právní předpisy týkající se látky nebo směsi

Nařízení Evropského parlamentu a Rady (ES) č. 1907/2006 ze dne 18. prosince 2006 o registraci, hodnocení, povolování a omezování chemických látek, o zřízení Evropské agentury pro chemické látky, o změně směrnice 1999/45/ES a o zrušení nařízení Rady (EHS) č. 793/93, nařízení Komise (ES) č. 1488/94, směrnice Rady 76/769/EHS a směrnic Komise 91/155/EHS, 93/67/EHS, 93/105/ES a 2000/21/ES, v platném znění. Nařízení Evropského parlamentu a Rady (ES) č. 1272/2008, v platném znění. Zákon č. 350/2011 Sb., o chemických látkách a chemických směsích a o změně některých zákonů (chemický zákon). Zákon č. 258/2000 Sb., o ochraně veřejného zdraví, v platném znění. Nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci, v platném znění. Vyhláška č. 415/2012 Sb., o přípustné úrovni znečišťování a jejím zjišťování a o provedení některých dalších ustanovení zákona o ochraně ovzduší, ve znění pozdějších předpisů. Zákon č. 541/2020 Sb., o odpadech, v platném znění. Zákon č. 201/2012 Sb., o ochraně ovzduší, v platném znění. Vyhláška č. 432/2003 Sb., kterou se stanoví podmínky pro zařazování prací do kategorií, limitní hodnoty ukazatelů biologických expozičních testů, podmínky odběru biologického materiálu pro provádění biologických expozičních testů a náležitosti hlášení prací s azbestem a biologickými činiteli, v platném znění. Nařízení Komise (EU) 2020/878 ze dne 18. června 2020, kterým se mění příloha II nařízení Evropského parlamentu a Rady (ES) č. 1907/2006 o registraci, hodnocení, povolování a omezování chemických látek (REACH).

15.2. Posouzení chemické bezpečnosti

Bylo provedeno.

ODDÍL 16: Další informace

Seznam standardních vět o nebezpečnosti použitých v bezpečnostním listu

H319 Způsobuje vážné podráždění očí.

Seznam pokynů pro bezpečné zacházení použitých v bezpečnostním listu

P101 Je-li nutná lékařská pomoc, mějte po ruce obal nebo štítek výrobku.

P102 Uchovávejte mimo dosah dětí.

P264 Po manipulaci důkladně omyjte ruce a zasažené části těla.

P280 Používejte ochranné rukavice/ochranný oděv/ochranné brýle/obličejový štít.

P305+P351+P338 PŘI ZASAŽENÍ OČÍ: Několik minut opatrně vyplachujte vodou. Vyjměte kontaktní čočky, jsou-li nasazeny a pokud je lze vyjmout snadno. Pokračujte ve vyplachování.

P337+P313 Přetrvává-li podráždění očí: Vyhledejte lékařskou pomoc/ošetření.

Další informace důležité z hlediska bezpečnosti a ochrany zdraví člověka

Výrobek nesmí být - bez zvláštního souhlasu výrobce/dovozce - používán k jinému účelu, než je uvedeno v oddílu 1. Uživatel je odpovědný za dodržování všech souvisejících předpisů na ochranu zdraví.

Legenda ke zkratkám a zkratkovým slovům použitým v bezpečnostním listu

ADR Evropská dohoda o mezinárodní silniční přepravě nebezpečných věcí

BCF Biokoncentrační faktor

CAS Chemical Abstracts Service

CLP Nařízení (ES) č. 1272/2008 o klasifikaci, označování a balení látek a směsí

EINECS Evropský seznam existujících obchodovaných chemických látek

EmS Pohotovostní plán

ES Číslo ES je číselný identifikátor látek na seznamu ES

EU Evropská unie

EuPCS Evropský systém kategorizace výrobků

IATA Mezinárodní asociace leteckých dopravců



BEZPEČNOSTNÍ LIST

podle nařízení Komise (EU) 2020/878, v platném znění

Citric Acid Monohydrate

Datum vytvoření	18.10.2018	Číslo verze	3.0
Datum revize	17.4.2023		

IBC	Mezinárodní předpis pro stavbu a vybavení lodí hromadně přepravujících nebezpečné chemikálie
ICAO	Mezinárodní organizace pro civilní letectví
IMDG	Mezinárodní námořní přeprava nebezpečného zboží
IMO	Mezinárodní námořní organizace
INCI	Mezinárodní nomenklatura kosmetických přísad
ISO	Mezinárodní organizace pro normalizaci
IUPAC	Mezinárodní unie pro čistou a užitou chemii
LC50	Smrtelná koncentrace látky, při které lze očekávat, že způsobí smrt 50% populace
LD50	Smrtelná dávka látky, při které lze očekávat, že způsobí smrt 50% populace
log Kow	Oktanol-voda rozdělovací koeficient
NOEC	Koncentrace bez pozorovaných účinků
NPK	Nejvyšší přípustná koncentrace
OEL	Expoziční limity na pracovišti
PBT	Perzistentní, bioakumulativní a toxický
PEL	Přípustný expoziční limit
ppm	Počet částic na milion (miliontina)
REACH	Registrace, hodnocení, povolování a omezování chemických látek
RID	Dohoda o přepravě nebezpečných věcí po železnici
UN	Čtyřmístné identifikační číslo látky nebo předmětu převzaté ze Vzorových předpisů OSN
UVCB	Látka s neznámým nebo proměnlivým složením, komplexní reakční produkt nebo biologický materiál
VOC	Těkavé organické sloučeniny
vPvB	Vysoce perzistentní a vysoce bioakumulativní

Eye Irrit. Dráždivost pro oči

Pokyny pro školení

Seznámit pracovníky s doporučeným způsobem použití, povinnými ochrannými prostředky, první pomocí a zakázanými manipulacemi s produktem.

Doporučená omezení použití

neuveдено

Informace o zdrojích údajů použitých při sestavování bezpečnostního listu

Nařízení Evropského parlamentu a Rady (ES) č. 1907/2006 (REACH), v platném znění. Nařízení Evropského parlamentu a Rady (ES) č. 1272/2008, v platném znění. Zákon č. 350/2011 Sb., o chemických látkách a chemických směsích, v platném znění. Údaje od výrobce látky/směsi, pokud jsou k dispozici - údaje z registrační dokumentace.

Provedené změny (které informace byly přidány, vypuštěny nebo upraveny)

Verze 3.0 nahrazuje verzi BL z 29.11.2019. Změny byly provedeny v oddílech 1, 2, 12, 13, 15 a 16.

Prohlášení

Bezpečnostní list obsahuje údaje pro zajištění bezpečnosti a ochrany zdraví při práci a ochrany životního prostředí. Uvedené údaje odpovídají současnému stavu vědomostí a zkušeností a jsou v souladu s platnými právními předpisy. Nemohou být považovány za záruku vhodnosti a použitelnosti výrobku pro konkrétní aplikaci.

Annexes

Exposure scenarios and Use Descriptors

Index

1. Intermediate
2. Formulation
3. Personal care products
4. Detergent and cleaning products
5. Paper industry
6. Construction products
7. Polymers and plastics
8. Oil industry
9. Paints and coatings
10. Photography products
11. Textile industry
12. Laboratory reagents
13. Water treatment
14. Treatment of metal surfaces
15. Agricultural applications
16. Medical devices

1. Exposure Scenario	
Use of citric acid as an intermediate. Industrial	
2. Processes and activities covered by the exposure scenario	
Sector of end use (SU):	03. Industrial uses: Uses of substances as such or in preparations/mixtures industrial sites 09. Manufacture of fine chemicals
Chemical product category (PC):	19. Intermediate
Process category (PROC):	01. Use in closed process, no likelihood of exposure 02. Use in closed, continuous process with occasional controlled exposure 04. Use in batch and other process (synthesis) where opportunity for exposure arises 08b. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
Article Categories [AC]:	Not applicable
Environmental release category (ERC):	06a. Industrial use resulting in manufacture of another substance (use of intermediates)
3. Operational conditions of use	
Control parameters:	Precautionary measures against electrostatic discharge to be taken. LEV and respiratory protection to be taken in areas where workers may come into contact with dust. Implement basic standards of occupational hygiene
Duration and frequency of use:	Users to specify
Maximum amount per time or activity:	Users to specify
Other operational conditions of use:	Avoid splashes and spills. Minimise manual handling.
Engineering control measures:	Local exhaust ventilation. Exposure limit values: Not known
Other protective equipment:	Good hygiene and housekeeping
Respiratory protection:	Required where ventilation is insufficient or exposure is prolonged
Hand protection:	Rubber or PVC gloves
Eye protection:	Wear safety goggles or face shield. Ensure eyewash and showers are in the proximity to

	workstation location.
Other information:	Avoid contact with the substance or contaminated objects, Ensure regular cleaning of equipment and work area, good personal hygiene, staff training and management/supervision are in place.
4. Physical form of substance / preparation / mixture or article	
Information on basic physical and chemical properties:	Solid, crystalline, acidic as a liquid
5. Product specification	
Physical form of the product:	Not applicable
Concentration of substance in preparation / mixture or article:	Users to specify
Service life of substances in articles:	Users to specify
6. Risk Management Measures	
Occupational exposure controls:	Keep area well ventilated. Precautions against dust explosion and irritation caused by dust inhalation.
Environmental Exposure Controls:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. The substance is biodegradable, has a low Kow and is not expected to bioaccumulate.
7. Consumer use:	Not applicable
8. Waste management measures	
Description and information on safe handling of surplus or waste:	Neutralise before treatment in a sewage treatment plant. Disposal untreated waste should be in accordance with local, state or national legislation.
9. Exposure assessment	
Human exposure prediction:	
Workers:	Use of PPE will to minimise handling and contact.
Consumers:	Not applicable
Method:	Not known
Exposure estimation:	Not known
Secondary Poisoning:	Not expected
Indirect exposure to humans via the environment:	Not expected
10. Other information	
Control parameters:	Refer to the eSDS
Method to check compliance:	Management/supervision to check that the RMMs in place are being used correctly and OCs followed. Ensure staff and workers receive adequate training with regular updates in the handling of chemicals

2. Exposure Scenario	
Use of citric acid formulation into preparations/mixtures –industrial	
2. Processes and activities covered by the exposure scenario	
Sector of end use (SU):	03. Industrial uses: Uses of substances as such or in preparations/mixtures at industrial sites
	10. Formulation [mixing] of preparations and/or re-packaging (excluding alloys)
	05. Manufacture of textiles, leather, fur
	13. Manufacture of other non-metallic mineral products, e.g. plasters, cement
	20. Health services
Chemical product category (PC):	0. Other
	01 Adhesives, sealants
	03. Air care products
	09a. Coatings and paints, thinners, paint removers
	09b. Fillers, putties, plasters, modelling clay
	12. Fertilizers
	18. Ink and toners
	30. Photo-chemicals.
	31. Polishes and wax blends
	35. Washing and cleaning products (including solvent based products)
	39. Cosmetics, personal care products

Process category (PROC):	01. Use in closed process, no likelihood of exposure
	02. Use in closed, continuous process with occasional controlled exposure
	03. Use in closed batch process (synthesis or formulation)
	04. Use in batch and other process (synthesis) where opportunity for exposure arises
	05. Mixing or blending in batch processes for formulation of preparations/mixtures and articles (multistage and/or significant contact)
	07. Industrial spraying
	08a. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
	08b. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
	09. Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
	13. Treatment of articles by dipping and pouring
	14. Production of preparations/mixtures or articles by tableting, compression, extrusion, pelletisation
	15. Use as laboratory reagent
	19. Hand-mixing with intimate contact and only PPE available
Article Categories [AC]:	Not applicable
Environmental release category (ERC):	01. Manufacture of substances
	02. Formulation of preparations/mixtures
	03. Formulation in materials
	04. Industrial use of processing aids in processes and products, not becoming part of articles
3. Operational conditions of use	
Control parameters:	Precautionary measures against electrostatic discharge to be taken. LEV and respiratory protection to be taken in areas where workers may come into contact with dust. Implement basic standards of occupational hygiene
Duration and frequency of use:	Users to specify
Maximum amount per time or activity:	Users to specify
Other operational conditions of use:	Avoid splashes and spills. Minimise manual handling.
Engineering control measures:	Local exhaust ventilation. Exposure limit values: Not known
Other protective equipment:	Good hygiene and housekeeping
Respiratory protection:	Required where ventilation is insufficient or exposure is prolonged
Hand protection:	Rubber or PVC gloves
Eye protection:	Wear safety goggles or face shield. Industrial professional - ensure eyewash and showers are in the proximity to workstation location.
Other information:	Avoid contact with the substance or contaminated objects, Ensure regular cleaning of equipment and work area, good personal hygiene, staff training and management/supervision are in place.
4. Physical form of substance / preparation / mixture or article	
Information on basic physical and chemical properties:	Solid, crystalline, acidic as a liquid
5. Product specification	
Physical form of the product:	Part of a preparation can be a liquid or solid.
Concentration of substance in preparation / mixture or article:	Users to specify
Service life of substances in articles:	Users to specify
6. Risk Management Measures	
Occupational exposure controls:	Keep area well ventilated. Precautions against dust explosion and irritation caused by dust inhalation.
Environmental Exposure Controls:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. The substance is biodegradable, has a low Kow and is not expected to bioaccumulate.

7. Consumer use:	Not applicable
8. Waste management measures	
Description and information on safe handling of surplus or waste:	Neutralise before treatment in a sewage treatment plant. Disposal untreated waste should be in accordance with local, state or national legislation.
9. Exposure assessment	
Human exposure prediction:	
Workers:	Use of PPE will to minimise handling and contact.
Consumers:	Not applicable
Method:	Not applicable
Exposure estimation:	Not known
Secondary Poisoning:	Not expected
Indirect exposure to humans via the environment:	Not expected
10. Other information	
Control parameters:	Refer to the eSDS
Method to check compliance:	Management/supervision to check that the RMMs in place are being used correctly and OCS followed. Ensure staff and workers receive adequate training with regular updates in the handling of chemicals

3. Exposure Scenario	
Use of citric acid in personal care products. Industrial, professional and consumer users.	
Use is treated as exempt from REACH in respect of human health, formulation is also covered under Citric acid -formulation	
2. Processes and activities covered by the exposure scenario	
Sector of end use (SU):	20. Health services
	21. Consumer uses: Private households (= general public = consumers)
	22. Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Chemical product category (PC):	02. Adsorbents
	03. Air care products
Process category (PROC):	10. Roller application or brushing
	11. Non industrial spraying
	19. Hand-mixing with intimate contact and only PPE available
Article Categories [AC]:	08. Paper articles
Environmental release category (ERC):	08a. Wide dispersive indoor use of processing aids in open systems
	11a. Wide dispersive indoor use of long-life articles and materials with low release
3. Operational conditions of use	
Control parameters:	Precautionary measures against electrostatic discharge to be taken. LEV and respiratory protection to be taken in areas where workers may come into contact with dust. Implement basic standards of occupational hygiene
Duration and frequency of use:	Users to specify
Maximum amount per time or activity:	Users to specify
Other operational conditions of use:	Avoid splashes and spills.
Engineering control measures:	Keep area well ventilated. Exposure limit values: Not known
Other protective equipment:	Good hygiene and housekeeping
Respiratory protection:	Required where ventilation is insufficient or exposure is prolonged
Hand protection:	Rubber or PVC gloves
Eye protection:	Wear safety goggles or face shield. Industrial & professional - ensure eyewash and showers are in the proximity to workstation location.
Other information:	Avoid contact with the substance or contaminated objects, Ensure regular cleaning of equipment and work area, good personal hygiene, staff training and management/supervision are in place.
4. Physical form of substance / preparation / mixture or article	
Information on basic physical and chemical properties:	Solid, crystalline, acidic as a liquid

5. Product specification	
Physical form of the product:	Part of a preparation can be a liquid or solid.
Concentration of substance in preparation / mixture or article:	Users to specify
Service life of substances in articles:	Users to specify
6. Risk Management Measures	
Occupational exposure controls:	Keep area well ventilated
Environmental Exposure Controls:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. The substance is biodegradable, has a low Kow and is not expected to bioaccumulate.
7. Consumer use:	Good hygiene and housekeeping
8. Waste management measures	
Description and information on safe handling of surplus or waste:	Neutralise before treatment in a sewage treatment plant. Disposal untreated waste should be in accordance with local, state or national legislation.
9. Exposure assessment	
Human exposure prediction:	
Workers:	Long term exposure during application. Use of PPE will to minimise handling and contact.
Consumers:	Long term exposure to low concentrations during application/use.
Method:	Not applicable
Exposure estimation:	Not known
Secondary Poisoning:	Not expected
Indirect exposure to humans via the environment:	Not expected
10. Other information	
Control parameters:	Refer to the eSDS
Method to check compliance:	Management/supervision to check that the RMMs in place are being used correctly and OCs followed. Ensure staff and workers receive adequate training with regular updates in the handling of chemicals

4. Exposure Scenario	
Use of citric acid in detergents and cleaning products. Industrial, professional and consumer users	
2. Processes and activities covered by the exposure scenario	
Sector of end use (SU):	03. Industrial uses: Uses of substances as such or in preparations/mixtures at industrial sites 21 Consumer uses: Private households (= general public = consumers) 22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Chemical product category (PC):	03. Air care products 28. Perfumes, fragrances 31. Polishes and wax blends 35. Washing and cleaning products (including solvent based products) 36. Water softeners 37. Water treatment chemicals
Process category (PROC):	01. Use in closed process, no likelihood of exposure 02. Use in closed, continuous process with occasional controlled exposure 04 Use in batch and other process (synthesis) where opportunity for exposure arises 05. Mixing or blending in batch processes for formulation of preparations/mixtures/mixtures and articles (multistage and/or significant contact) 07. Industrial spraying 08a. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities 08b. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities 09. Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

	10. Roller application or brushing
	11. Non industrial spraying
	13. Treatment of articles by dipping and pouring
	19. Hand-mixing with intimate contact and only PPE available
Article Categories [AC]:	08. Paper articles
Environmental release category (ERC):	02. Formulation of preparations/mixtures
	04. Industrial use of processing aids in processes and products, not becoming part of articles
	08a. Wide dispersive indoor use of processing aids in open systems
	8d. Wide dispersive outdoor use of processing aids in open systems
	09a. Wide dispersive indoor use of substances in closed systems
	09b. Wide dispersive outdoor use of substances in closed systems
3. Operational conditions of use	
Control parameters:	Precautionary measures against electrostatic discharge to be taken. LEV and respiratory protection to be taken in areas where workers may come into contact with dust. Implement basic standards of occupational hygiene
Duration and frequency of use:	Users to specify
Maximum amount per time or activity:	Users to specify
Other operational conditions of use:	Avoid splashes and spills.
Engineering control measures:	Keep area well ventilated. Exposure limit values: Not known
Other protective equipment:	Good hygiene and housekeeping
Respiratory protection:	Required where ventilation is insufficient or exposure is prolonged
Hand protection:	Rubber or PVC gloves
Eye protection:	Wear safety goggles or face shield. Industrial professional - ensure eyewash and showers are in the proximity to workstation location.
Other information:	Avoid contact with the substance or contaminated objects, Ensure regular cleaning of equipment and work area, good personal hygiene, staff training and management/supervision are in place.
4. Physical form of substance / preparation / mixture or article	
Information on basic physical and chemical properties:	Solid, crystalline, acidic as a liquid
5. Product specification	
Physical form of the product:	Part of a preparation can be a liquid or solid.
Concentration of substance in preparation / mixture or article:	Formulators information
Service life of substances in articles:	In use 2 to 12 months
6. Risk Management Measures	
Occupational exposure controls:	Keep area well ventilated
Environmental Exposure Controls:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. The substance is biodegradable, has a low Kow and is not expected to bioaccumulate.
7. Consumer use:	Good hygiene and housekeeping
8. Waste management measures	
Description and information on safe handling of surplus or waste:	Neutralise before treatment in a sewage treatment plant. Disposal untreated waste should be in accordance with local, state or national legislation.
9. Exposure assessment	
Human exposure prediction:	
Workers:	Short term during formulation. Long term exposure during application. Use of PPE will to minimise handling and contact.
Consumers:	Long term exposure to low concentrations during application/use
Method:	Not applicable
Exposure estimation:	Not known
Secondary Poisoning:	Not expected
Indirect exposure to humans via the environment:	Not expected
10. Other information	
Control parameters:	Refer to the eSDS

Method to check compliance:	Management/supervision to check that the RMMs in place are being used correctly and OCs followed. Ensure staff and workers receive adequate training with regular updates in the handling of chemicals
------------------------------------	--

5. Exposure Scenario	
Use of citric acid in paper industry. Industrial	
2. Processes and activities covered by the exposure scenario	
Sector of end use (SU):	03. Industrial uses: Uses of substances as such or in preparations/mixtures industrial sites 06a. Manufacture of pulp, paper and paper products
Chemical product category (PC):	26. Paper and board dye, finishing and impregnation products: including bleaches and other processing aids
Process category (PROC):	05. Mixing or blending in batch processes for formulation of preparations/mixtures/mixtures and articles (multistage and/or significant contact) 8a. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities.
Article Categories [AC]:	Not applicable
Environmental release category (ERC):	04. Industrial use of processing aids in processes and products, not becoming part of articles
3. Operational conditions of use	
Control parameters:	Precautionary measures against electrostatic discharge to be taken. LEV and respiratory protection to be taken in areas where workers may come into contact with dust. Implement basic standards of occupational hygiene
Duration and frequency of use:	Users to specify
Maximum amount per time or activity:	Users to specify
Other operational conditions of use:	Avoid splashes and spills.
Engineering control measures:	Keep area well ventilated. Exposure limit values: Not known
Other protective equipment:	Good hygiene and housekeeping
Respiratory protection:	Required where ventilation is insufficient or exposure is prolonged
Hand protection:	Rubber or PVC gloves
Eye protection:	Wear safety goggles or face shield. Ensure eyewash and showers are in the proximity to workstation location.
Other information:	Avoid contact with the substance or contaminated objects, Ensure regular cleaning of equipment and work area, good personal hygiene, staff training and management/supervision are in place.
4. Physical form of substance / preparation / mixture or article	
Information on basic physical and chemical properties:	Solid, crystalline, acidic as a liquid
5. Product specification	
Physical form of the product:	Part of a preparation can be a liquid or solid.
Concentration of substance in preparation / mixture or article:	Users to specify
Service life of substances in articles:	Users to specify
6. Risk Management Measures	
Occupational exposure controls:	Keep area well ventilated.
Environmental Exposure Controls:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. The substance is biodegradable, has a low Kow and is not expected to bioaccumulate.
7. Consumer use:	Not applicable
8. Waste management measures	
Description and information on safe handling of surplus or waste:	Neutralise before treatment in a sewage treatment plant. Disposal untreated waste should be in accordance with local, state or national legislation.
9. Exposure assessment	
Human exposure prediction:	
Workers:	Long term exposure during application. Use of PPE will to minimise handling and contact.
Consumers:	Not applicable
Method:	Not applicable
Exposure estimation:	Not known
Secondary Poisoning:	Not expected

Indirect exposure to humans via the environment:	Not expected
10. Other information	
Control parameters:	Refer to the eSDS
Method to check compliance:	Management/supervision to check that the RMMs in place are being used correctly and OCs followed. Ensure staff and workers receive adequate training with regular updates in the handling of chemicals

6. Exposure Scenario	
Use of citric acid in construction products. Industrial, professional and consumer	
2. Processes and activities covered by the exposure scenario	
Sector of end use (SU):	02. Mining, (without offshore industries)
	03. Industrial uses: Uses of substances as such or in preparations/mixtures industrial sites
	10. Formulation [mixing] of preparations and/or re-packaging (excluding alloys)
	19. Building and construction work
	21. Consumer uses: Private households (= general public = consumers)
	22 .Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Chemical product category (PC):	0. Other
Process category (PROC):	02. Use in closed, continuous process with occasional controlled exposure
	04. Use in batch and other process (synthesis) where opportunity for exposure arises
	05. Mixing or blending in batch processes for formulation of preparations/mixtures and articles (multistage and/or significant contact)
	07. Industrial spraying
	08a. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
	08b. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
	10. Roller application or brushing
	11. Non industrial spraying
	13. Treatment of articles by dipping and pouring
	14. Production of preparations/mixtures or articles by tableting, compression, extrusion, pelletisation
	19. Hand-mixing with intimate contact and only PPE available
	21. Low energy manipulation of substances bound in materials and/or articles
	24. High (mechanical) energy work-up of substances bound in materials and/or articles
Article Categories [AC]:	04. Stone, plaster, cement, glass and ceramic articles
Environmental release category (ERC):	05. Industrial use resulting in inclusion into or onto a matrix
	08c. Wide dispersive indoor use resulting in inclusion into or onto a matrix
	08f. Wide dispersive outdoor use resulting in inclusion into or onto a matrix
	10a. Wide dispersive outdoor use of long-life articles and materials with low release
	10b. Wide dispersive outdoor use of long-life articles and materials with high or in-tended release (including abrasive processing)
	11a. Wide dispersive indoor use of long-life articles and materials with low release
	11b. Wide dispersive indoor use of long-life articles and materials with high or intended release (including abrasive processing)
	12a. Industrial processing of articles with abrasive techniques (low release)
3. Operational conditions of use	
Control parameters:	Precautionary measures against electrostatic discharge to be taken. LEV and respiratory protection to be taken in areas where workers may come into contact with dust. Implement basic standards of occupational hygiene
Duration and frequency of use:	Users to specify
Maximum amount per time or activity:	Users to specify

Other operational conditions of use:	Avoid splashes and spills.
Engineering control measures:	Keep area well ventilated. Exposure limit values: Not known
Other protective equipment:	Good hygiene and housekeeping
Respiratory protection:	Required where ventilation is insufficient or exposure is prolonged
Hand protection:	Rubber or PVC gloves
Eye protection:	Wear safety goggles or face shield. Industrial/professional, ensure eyewash and showers are in the proximity to workstation location.
Other information:	Avoid contact with the substance or contaminated objects, Ensure regular cleaning of equipment and work area, good personal hygiene, staff training and management/supervision are in place.
4. Physical form of substance / preparation / mixture or article	
Information on basic physical and chemical properties:	Solid, crystalline, acidic as a liquid
5. Product specification	
Physical form of the product:	Part of a preparation can be a liquid or solid.
Concentration of substance in preparation / mixture or article:	Users to specify
Service life of substances in articles:	Users to specify
6. Risk Management Measures	
Occupational exposure controls:	Keep area well ventilated
Environmental Exposure Controls:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. The substance is biodegradable, has a low Kow and is not expected to bioaccumulate.
7. Consumer use:	Good hygiene and housekeeping
8. Waste management measures	
Description and information on safe handling of surplus or waste:	Neutralise before treatment in a sewage treatment plant. Disposal untreated waste should be in accordance with local, state or national legislation.
9. Exposure assessment	
Human exposure prediction:	
Workers:	Long term exposure during application.
Consumers:	Long term exposure to low concentrations during application/use.
Method:	Not applicable
Exposure estimation:	Not known
Secondary Poisoning:	Not expected
Indirect exposure to humans via the environment:	Not expected
10. Other information	
Control parameters:	Refer to the eSDS
Method to check compliance:	Management/supervision to check that the RMMs in place are being used correctly and OCs followed. Ensure staff and workers receive adequate training with regular updates in the handling of chemicals

7. Exposure Scenario	
Use of citric acid Polymers and plastics. Industrial	
2. Processes and activities covered by the exposure scenario	
Sector of end use (SU):	03. Industrial uses: Uses of substances as such or in preparations/mixtures at industrial sites
Chemical product category (PC):	32. Polymer preparations and compounds
Process category (PROC):	03. Use in closed batch process (synthesis or formulation)
	05. Mixing or blending in batch processes for formulation of preparations/mixtures and articles (multistage and/or significant contact)
	08a. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
	08b. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
Article Categories [AC]:	Not applicable
Environmental release category (ERC):	06b. Industrial use of reactive processing aids

3. Operational conditions of use	
Control parameters:	Precautionary measures against electrostatic discharge to be taken. LEV and respiratory protection to be taken in areas where workers may come into contact with dust. Implement basic standards of occupational hygiene
Duration and frequency of use:	Users to specify
Maximum amount per time or activity:	Users to specify
Other operational conditions of use:	Avoid splashes and spills. Minimise manual handling.
Engineering control measures:	Local exhaust ventilation. Exposure limit values: Not known
Other protective equipment:	Good hygiene and housekeeping
Respiratory protection:	Required where ventilation is insufficient or exposure is prolonged
Hand protection:	Rubber or PVC gloves
Eye protection:	Wear safety goggles or face shield. Industrial professional - ensure eyewash and showers are in the proximity to workstation location.
Other information:	Avoid contact with the substance or contaminated objects, Ensure regular cleaning of equipment and work area, good personal hygiene, staff training and management/supervision are in place.
4. Physical form of substance / preparation / mixture or article	
Information on basic physical and chemical properties:	Solid, crystalline, acidic as a liquid
5. Product specification	
Physical form of the product:	Part of a preparation can be a liquid or solid.
Concentration of substance in preparation / mixture or article:	Users to specify
Service life of substances in articles:	Users to specify
6. Risk Management Measures	
Occupational exposure controls:	Keep area well ventilated. Precautions against dust explosion and irritation caused by dust inhalation.
Environmental Exposure Controls:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. The substance is biodegradable, has a low Kow and is not expected to bioaccumulate.
7. Consumer use:	Not applicable
8. Waste management measures	
Description and information on safe handling of surplus or waste:	Neutralise before treatment in a sewage treatment plant. Disposal untreated waste should be in accordance with local, state or national legislation.
9. Exposure assessment	
Human exposure prediction:	
Workers:	Long term exposure during application. Use of PPE will to minimise handling and contact.
Consumers:	Not applicable
Method:	Not applicable
Exposure estimation:	Not known
Secondary Poisoning:	Not expected
Indirect exposure to humans via the environment:	Not expected
10. Other information	
Control parameters:	Refer to the eSDS
Method to check compliance:	Management/supervision to check that the RMMs in place are being used correctly and OCs followed. Ensure staff and workers receive adequate training with regular updates in the handling of chemicals

8. Exposure Scenario	
Use of citric acid in oil industry. Industrial.	
2. Processes and activities covered by the exposure scenario	
Sector of end use (SU):	02. Offshore industries
	03. Industrial uses: Uses of substances as such or in preparations/mixtures industrial sites
Chemical product category (PC):	20. Products such as ph-regulators, flocculants, precipitants, neutralization agents

	40. Other
Process category (PROC):	03. Use in closed batch process (synthesis or formulation)
	04. Use in batch and other process (synthesis) where opportunity for exposure arises
	05. Mixing or blending in batch processes for formulation of preparations/mixtures and articles (multistage and/or significant contact)
	08a. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
	08b. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
Article Categories [AC]:	Not applicable
Environmental release category (ERC):	8d. Wide dispersive outdoor use of processing aids in open systems
3. Operational conditions of use	
Control parameters:	Precautionary measures against electrostatic discharge to be taken. LEV and respiratory protection to be taken in areas where workers may come into contact with dust. Implement basic standards of occupational hygiene
Duration and frequency of use:	Users to specify
Maximum amount per time or activity:	Users to specify
Other operational conditions of use:	Avoid splashes and spills.
Engineering control measures:	Keep area well ventilated. Exposure limit values: Not known
Other protective equipment:	Good hygiene and housekeeping
Respiratory protection:	Required where ventilation is insufficient or exposure is prolonged
Hand protection:	Rubber or PVC gloves
Eye protection:	Wear safety goggles or face shield. Industrial/professional, ensure eyewash and showers are in the proximity to workstation location.
Other information:	Avoid contact with the substance or contaminated objects, Ensure regular cleaning of equipment and work area, good personal hygiene, staff training and management/supervision are in place
4. Physical form of substance / preparation / mixture or article	
Information on basic physical and chemical properties:	Solid, crystalline, acidic as a liquid
5. Product specification	
Physical form of the product:	Part of a preparation can be a liquid or solid.
Concentration of substance in preparation / mixture or article:	Users to specify
Service life of substances in articles:	Users to specify
6. Risk Management Measures	
Occupational exposure controls:	Keep area well ventilated
Environmental Exposure Controls:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. The substance is biodegradable, has a low Kow and is not expected to bioaccumulate.
7. Consumer use:	Not applicable
8. Waste management measures	
Description and information on safe handling of surplus or waste:	Neutralise before treatment in a sewage treatment plant. Disposal untreated waste should be in accordance with local, state or national legislation.
9. Exposure assessment	
Human exposure prediction:	
Workers:	Long term exposure during application. Use of PPE will to minimise handling and contact.
Consumers:	Not applicable
Method:	Not applicable
Exposure estimation:	Not known
Secondary Poisoning:	Not expected
Indirect exposure to humans via the environment:	Not expected
10. Other information	
Control parameters:	Refer to the eSDS
Method to check compliance:	Management/supervision to check that the RMMs in place are being used correctly and OCs followed. Ensure staff and workers receive adequate training with regular updates in the

	handling of chemicals
9. Exposure Scenario	
Use of citric acid in paints and coatings. Industrial, professional and consumer users	
2. Processes and activities covered by the exposure scenario	
Sector of end use (SU):	03. Industrial uses: Uses of substances as such or in preparations/mixtures at industrial sites
	17. General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment
	18. Manufacture of furniture
	19. Building and construction work
	21. Consumer uses: Private households (= general public = consumers)
	22. Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Chemical product category (PC):	09a. Coatings and paints, thinners, paint removers
	9b. Fillers, putties, plasters, modelling clay
	18. Ink and toners
	34. Textile dyes, finishing and impregnating products; including bleaches and other processing aids
Process category (PROC):	07. Industrial spraying
	08a. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at nondedicated facilities
	08b. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
	10. Roller application or brushing
	11. Non industrial spraying
	19. Hand-mixing with intimate contact and only PPE available
	24. High (mechanical) energy work-up of substances bound in materials and/or articles
Article Categories [AC]:	04. Stone, plaster, cement, glass and ceramic articles
	11. Wood articles
Environmental release category (ERC):	05. Industrial use resulting in inclusion into or onto a matrix
	08c. Wide dispersive indoor use resulting in inclusion into or onto a matrix
	08f. Wide dispersive outdoor use resulting in inclusion into or onto a matrix
	10a. Wide dispersive outdoor use of long-life articles and materials with low release
	10b. Wide dispersive outdoor use of long-life articles and materials with high or in-tended release (including abrasive processing)
	11a. Wide dispersive indoor use of long-life articles and materials with low release
	11b. Wide dispersive indoor use of long-life articles and materials with high or intended release (including abrasive processing)
3. Operational conditions of use	
Control parameters:	Precautionary measures against electrostatic discharge to be taken. LEV and respiratory protection to be taken in areas where workers may come into contact with dust. Implement basic standards of occupational hygiene
Duration and frequency of use:	Users to specify
Maximum amount per time or activity:	Users to specify
Other operational conditions of use:	Avoid splashes and spills.
Engineering control measures:	Keep area well ventilated. Exposure limit values: Not known
Other protective equipment:	Good hygiene and housekeeping
Respiratory protection:	Required where ventilation is insufficient or exposure is prolonged
Hand protection:	Rubber or PVC gloves
Eye protection:	Wear safety goggles or face shield. Industrial professional - ensure eyewash and showers are in the proximity to workstation location.
Other information:	Avoid contact with the substance or contaminated objects, Ensure regular cleaning of equipment and work area, good personal hygiene, staff training and management/supervision are in place.
4. Physical form of substance / preparation / mixture or article	
Information on basic physical and chemical properties:	Solid, crystalline, acidic as a liquid
5. Product specification	

Physical form of the product:	Part of a preparation can be a liquid or solid.
Concentration of substance in preparation / mixture or article:	Formulators information
Service life of substances in articles:	
6. Risk Management Measures	
Occupational exposure controls:	Keep area well ventilated
Environmental Exposure Controls:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. The substance is biodegradable, has a low Kow and is not expected to bioaccumulate.
7. Consumer use:	Good hygiene and housekeeping
8. Waste management measures	
Description and information on safe handling of surplus or waste:	Neutralise before treatment in a sewage treatment plant. Disposal untreated waste should be in accordance with local, state or national legislation.
9. Exposure assessment	
Human exposure prediction:	
Workers:	Short term during formulation. Long term exposure during application. Use of PPE will to minimise handling and contact.
Consumers:	Exposure to low concentrations during application/use
Method:	Not applicable
Exposure estimation:	Not known
Secondary Poisoning:	Not expected
Indirect exposure to humans via the environment:	Not expected
10. Other information	
Control parameters:	Refer to the eSDS
Method to check compliance:	Management/supervision to check that the RMMs in place are being used correctly and OCs followed. Ensure staff and workers receive adequate training with regular updates in the handling of chemicals

10. Exposure Scenario	
Use of citric acid in photography products. Professional and consumer users	
2. Processes and activities covered by the exposure scenario	
Sector of end use (SU):	03. Industrial uses: Uses of substances as such or in preparations/mixtures at industrial sites
	20. Health services
	21. Consumer uses: Private households (= general public = consumers)
	22. Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Chemical product category (PC):	30. Photo-chemicals
Process category (PROC):	05. Mixing or blending in batch processes for formulation of preparations/mixtures and articles (multistage and/or significant contact)
	13. Treatment of articles by dipping and pouring
Article Categories [AC]:	Not applicable
Environmental release category (ERC):	08a Wide dispersive indoor use of processing aids in open systems
3. Operational conditions of use	
Control parameters:	Precautionary measures against electrostatic discharge to be taken. LEV and respiratory protection to be taken in areas where workers may come into contact with dust. Implement basic standards of occupational hygiene
Duration and frequency of use:	Users to specify
Maximum amount per time or activity:	Users to specify
Other operational conditions of use:	Avoid splashes and spills.
Engineering control measures:	Keep area well ventilated. Exposure limit values: Not known
Other protective equipment:	Good hygiene and housekeeping
Respiratory protection:	Required where ventilation is insufficient or exposure is prolonged
Hand protection:	Rubber or PVC gloves

Eye protection:	Wear safety goggles or face shield. Professional - ensure eyewash and showers are in the proximity to workstation location.
Other information:	Avoid contact with the substance or contaminated objects, Ensure regular cleaning of equipment and work area, good personal hygiene, staff training and management/supervision are in place.
4. Physical form of substance / preparation / mixture or article	
Information on basic physical and chemical properties:	Solid, crystalline, acidic as a liquid
5. Product specification	
Physical form of the product:	Part of a preparation can be a liquid or solid.
Concentration of substance in preparation / mixture or article:	Formulators information
Service life of substances in articles:	
6. Risk Management Measures	
Occupational exposure controls:	Keep area well ventilated
Environmental Exposure Controls:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. The substance is biodegradable, has a low Kow and is not expected to bioaccumulate.
7. Consumer use:	Good hygiene and housekeeping
8. Waste management measures	
Description and information on safe handling of surplus or waste:	Neutralise before treatment in a sewage treatment plant. Disposal untreated waste should be in accordance with local, state or national legislation.
9. Exposure assessment	
Human exposure prediction:	
Workers:	Short term during formulation. Long term exposure during application
Consumers:	Exposure to low concentrations during application/use
Method:	Not applicable
Exposure estimation:	Not known
Secondary Poisoning:	Not expected
Indirect exposure to humans via the environment:	Not expected
10. Other information	
Control parameters:	Refer to the eSDS
Method to check compliance:	Management/supervision to check that the RMMs in place are being used correctly and OCs followed. Ensure staff and workers receive adequate training with regular updates in the handling of chemicals

11. Exposure Scenario	
Use of citric acid in textiles. Industrial	
2. Processes and activities covered by the exposure scenario	
Sector of end use (SU):	03. Industrial uses: Uses of substances as such or in preparations/mixtures industrial sites 05. Manufacture of textiles, leather, fur
Chemical product category (PC):	20. Products such as ph-regulators, flocculants, precipitants, neutralization agents 23. Leather tanning, dye, finishing, impregnation and care products 24. Lubricants, greases, release products
Process category (PROC):	08a. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities 08b. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities 10. Roller application or brushing 13. Treatment of articles by dipping and pouring 22. Potentially closed processing operations with minerals/metals at elevated temperature
Article Categories [AC]:	05. Fabrics, textiles and apparel 06. Leather articles

Environmental release category (ERC):	04. Industrial use of processing aids in processes and products, not becoming part of articles
3. Operational conditions of use	
Control parameters:	Precautionary measures against electrostatic discharge to be taken. LEV and respiratory protection to be taken in areas where workers may come into contact with dust. Implement basic standards of occupational hygiene
Duration and frequency of use:	Users to specify
Maximum amount per time or activity:	Users to specify
Other operational conditions of use:	Avoid splashes and spills.
Engineering control measures:	Keep area well ventilated. Exposure limit values: Not known
Other protective equipment:	Good hygiene and housekeeping
Respiratory protection:	Required where ventilation is insufficient or exposure is prolonged
Hand protection:	Rubber or PVC gloves
Eye protection:	Wear safety goggles or face shield. Ensure eyewash and showers are in the proximity to workstation location.
Other information:	Avoid contact with the substance or contaminated objects, Ensure regular cleaning of equipment and work area, good personal hygiene, staff training and Management/ supervision are in place.
4. Physical form of substance / preparation / mixture or article	
Information on basic physical and chemical properties:	Solid, crystalline, acidic as a liquid
5. Product specification	
Physical form of the product:	Part of a preparation can be a liquid or solid.
Concentration of substance in preparation / mixture or article:	Users to specify
Service life of substances in articles:	Users to specify
6. Risk Management Measures	
Occupational exposure controls:	Keep area well ventilated
Environmental Exposure Controls:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. The substance is biodegradable, has a low Kow and is not expected to bioaccumulate.
7. Consumer use:	Not applicable
8. Waste management measures	
Description and information on safe handling of surplus or waste:	Neutralise before treatment in a sewage treatment plant. Disposal untreated waste should be in accordance with local, state or national legislation.
9. Exposure assessment	
Human exposure prediction:	
Workers:	Long term exposure during application. Use of PPE will to minimise handling and contact.
Consumers:	Not applicable
Method:	Not applicable
Exposure estimation:	Not known
Secondary Poisoning:	Not expected
Indirect exposure to humans via the environment:	Not expected
10. Other information	
Control parameters:	Refer to the Esds
Method to check compliance:	Management/supervision to check that the RMMs in place are being used correctly and OCs followed. Ensure staff and workers receive adequate training with regular updates in the handling of chemicals

12. Exposure Scenario
Use of citric acid in laboratory agents. Industrial users
2. Processes and activities covered by the exposure scenario

Sector of end use (SU):	03. Industrial uses: Uses of substances as such or in preparations/mixtures at industrial sites
Chemical product category (PC):	04. Anti-Freeze and de-icing products
	16. Heat transfer fluids
	20. Products such as ph-regulators, flocculants, precipitants, neutralization agents
	37. Water treatment chemicals
Process category (PROC):	01. Use in closed process, no likelihood of exposure
	02. Use in closed, continuous process with occasional controlled exposure
	03. Use in closed batch process (synthesis or formulation)
	04. Use in batch and other process (synthesis) where opportunity for exposure arises
	08a. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
Article Categories [AC]:	Not applicable
Environmental release category (ERC):	04. Industrial use of processing aids in processes and products, not becoming part of articles
	07. Industrial use of sub-stances in closed systems
3. Operational conditions of use	
Control parameters:	Precautionary measures against electrostatic discharge to be taken. LEV and respiratory protection to be taken in areas where workers may come into contact with dust. Implement basic standards of occupational hygiene
Duration and frequency of use:	Users to specify
Maximum amount per time or activity:	Users to specify
Other operational conditions of use:	Avoid splashes and spills.
Engineering control measures:	Keep area well ventilated. Exposure limit values: Not known
Other protective equipment:	Good hygiene and housekeeping
Respiratory protection:	Required where ventilation is insufficient or exposure is prolonged
Hand protection:	Rubber or PVC gloves
Eye protection:	Wear safety goggles or face shield. Ensure eyewash and showers are in the proximity to workstation location.
Other information:	Avoid contact with the substance or contaminated objects, Ensure regular cleaning of equipment and work area; good personal hygiene, staff training and management/supervision are in place.
4. Physical form of substance / preparation / mixture or article	
Information on basic physical and chemical properties:	Solid, crystalline, acidic as a liquid
5. Product specification	
Physical form of the product:	Part of a preparation can be a liquid or solid.
Concentration of substance in preparation / mixture or article:	Formulators information
Service life of substances in articles:	
6. Risk Management Measures	
Occupational exposure controls:	Keep area well ventilated
Environmental Exposure Controls:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. The substance is biodegradable, has a low Kow and is not expected to bioaccumulate.
7. Consumer use:	Not applicable
8. Waste management measures	
Description and information on safe handling of surplus or waste:	Neutralise before treatment in a sewage treatment plant. Disposal untreated waste should be in accordance with local, state or national legislation.
9. Exposure assessment	
Human exposure prediction:	
Workers:	Short term during formulation. Long term exposure during application. Use of PPE will to minimise handling and contact.
Consumers:	Not applicable
Method:	Not applicable
Exposure estimation:	Not known

Secondary Poisoning:	Not expected
Indirect exposure to humans via the environment:	Not expected
10. Other information	
Control parameters:	Refer to the eSDS
Method to check compliance:	Management/supervision to check that the RMMs in place are being used correctly and OCs followed. Ensure staff and workers receive adequate training with regular updates in the handling of chemicals

13. Exposure Scenario	
Use of citric acid in water treatment. Industrial	
2. Processes and activities covered by the exposure scenario	
Sector of end use (SU):	03. Industrial uses: Uses of substances as such or in preparations/mixtures at industrial sites
	14. Manufacture of basic metals, including alloys
	15. Manufacture of fabricated metal products, except machinery and equipment
	16. Manufacture of computer, electronic and optical products, electrical equipment
	17. General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment
Chemical product category (PC):	04. Anti-Freeze and de-icing products
	07. Base metals and alloys
	14. Metal surface treatment products, including galvanic and electroplating products
	16. Heat transfer fluids
	17. Hydraulic fluids
	20. Products such as ph-regulators, flocculants, precipitants, neutralization agents
	25. Metal working fluids
	26. Paper and board dye, finishing and impregnation products: including bleaches and other processing aids
	35. Washing and cleaning products (including solvent based products)
	37. Water treatment chemicals
Process category (PROC):	01. Use in closed process, no likelihood of exposure
	02. Use in closed, continuous process with occasional controlled exposure
	03. Use in closed batch process (synthesis or formulation)
	04. Use in batch and other process (synthesis) where opportunity for exposure arises
	07. Industrial spraying
	08a. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
	08b. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
	09. Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
	10. Roller application or brushing
	13. Treatment of articles by dipping and pouring
	18. Greasing at high energy conditions
	20. Heat and pressure transfer fluids in dispersive, professional use but closed systems
	25. Other hot work operations with metals
Article Categories [AC]:	Not applicable
Environmental release category (ERC):	04. Industrial use of processing aids in processes and products, not becoming part of articles

	07. Industrial use of sub-stances in closed systems
3. Operational conditions of use	
Control parameters:	Precautionary measures against electrostatic discharge to be taken. LEV and respiratory protection to be taken in areas where workers may come into contact with dust. Implement basic standards of occupational hygiene
Duration and frequency of use:	Users to specify
Maximum amount per time or activity:	Users to specify
Other operational conditions of use:	Avoid splashes and spills. Minimise manual handling.
Engineering control measures:	Local exhaust ventilation. Exposure limit values: Not known
Other protective equipment:	Good hygiene and housekeeping
Respiratory protection:	Required where ventilation is insufficient or exposure is prolonged
Hand protection:	Rubber or PVC gloves
Eye protection:	Wear safety goggles or face shield. Ensure eyewash and showers are in the proximity to workstation location.
Other information:	Avoid contact with the substance or contaminated objects, Ensure regular cleaning of equipment and work area; good personal hygiene, staff training and management/ supervision are in place.
4. Physical form of substance / preparation / mixture or article	
Information on basic physical and chemical properties:	Solid, crystalline, acidic as a liquid
5. Product specification	
Physical form of the product:	Part of a preparation can be a liquid or solid.
Concentration of substance in preparation / mixture or article:	Users to specify
Service life of substances in articles:	Users to specify
6. Risk Management Measures	
Occupational exposure controls:	Keep area well ventilated. Precautions against dust explosion and irritation caused by dust inhalation.
Environmental Exposure Controls:	Avoid dispersal of spilled material and run off and contact with soil, waterways, drains and sewers. The substance is biodegradable, has a low Kow and is not expected to bioaccumulate.
7. Consumer use:	Not applicable
8. Waste management measures	
Description and information on safe handling of surplus or waste:	Neutralise before treatment in a sewage treatment plant. Disposal untreated waste should be in accordance with local, state or national legislation.
9. Exposure assessment	
Human exposure prediction:	
Workers:	Use of PPE will to minimise handling and contact.
Consumers:	Not applicable
Method:	Not applicable
Exposure estimation:	Not known
Secondary Poisoning:	Not expected
Indirect exposure to humans via the environment:	Not expected
10. Other information	
Control parameters:	Refer to the eSDS
Method to check compliance:	Management/supervision to check that the RMMs in place are being used correctly and OCs followed. Ensure staff and workers receive adequate training with regular updates in the handling of chemicals

14. Exposure Scenario
1. Use of citric acid in treatment of metals & surfaces. Industrial
2. Processes and activities covered by the exposure scenario

Sector of end use (SU):	03. Industrial uses: Uses of substances as such or in preparations/mixtures at industrial sites
	14. Manufacture of basic metals, including alloys
	15. Manufacture of fabricated metal products, except machinery and equipment
	16. Manufacture of computer, electronic and optical products, electrical equipment
	17. General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment
Chemical product category (PC):	07. Base metals and alloys
	14. Metal surface treatment products, including galvanic and electroplating products
	25. Metal working fluids
	31. Polishes and wax blends
	35. Washing and cleaning products (including solvent based products)
Process category (PROC):	02. Use in closed, continuous process with occasional controlled exposure
	03. Use in closed batch process (synthesis or formulation)
	04. Use in batch and other process (synthesis) where opportunity for exposure arises
	07. Industrial spraying
	08a. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
	08b. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
	09. Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
	10. Roller application or brushing
	13. Treatment of articles by dipping and pouring
	17. Lubrication at high energy conditions and in partly open process
	18. Greasing at high energy conditions
	23. Open processing and transfer operations with minerals/metals at elevated temperature
Article Categories [AC]:	Not applicable
Environmental release category (ERC):	04. Industrial use of processing aids in processes and products, not becoming part of articles
	06b. Industrial use of reactive processing aids
3. Operational conditions of use	
Control parameters:	Precautionary measures against electrostatic discharge to be taken. LEV and respiratory protection to be taken in areas where workers may come into contact with dust. Implement basic standards of occupational hygiene.
Duration and frequency of use:	Users to specify
Maximum amount per time or activity:	Users to specify
Other operational conditions of use:	Avoid splashes and spills. Minimise manual handling.
Engineering control measures:	Local exhaust ventilation. Exposure limit values: Not known
Other protective equipment:	Good hygiene and housekeeping
Respiratory protection:	Required where ventilation is insufficient or exposure is prolonged
Hand protection:	Rubber or PVC gloves
Eye protection:	Wear safety goggles or face shield. Ensure eyewash and showers are in the proximity to workstation location.
Other information:	Avoid contact with the substance or contaminated objects, Ensure regular cleaning of equipment and work area; good personal hygiene, staff training and management/supervision are in place.
4. Physical form of substance / preparation / mixture or article	
Information on basic physical and chemical properties:	Solid, crystalline, acidic as a liquid
5. Product specification	
Physical form of the product:	Part of a preparation can be a liquid or solid.

Concentration of substance in preparation / mixture or article:	Users to specify
Service life of substances in articles:	Users to specify
6. Risk Management Measures	
Occupational exposure controls:	Keep area well ventilated. Precautions against dust explosion and irritation caused by dust inhalation.
Environmental Exposure Controls:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. The substance is biodegradable, has a low Kow and is not expected to bioaccumulate.
7. Consumer use:	Not applicable
8. Waste management measures	
Description and information on safe handling of surplus or waste:	Neutralise before treatment in a sewage treatment plant. Disposal untreated waste should be in accordance with local, state or national legislation.
9. Exposure assessment	
Human exposure prediction:	
Workers:	Short term exposure during application. Use of PPE will to minimise handling and contact.
Consumers:	Not applicable
Method:	Not applicable
Exposure estimation:	Not known
Secondary Poisoning:	Not expected
Indirect exposure to humans via the environment:	Not expected
10. Other information	
Control parameters:	Refer to the eSDS
Method to check compliance:	Management/supervision to check that the RMMs in place are being used correctly and OCs followed. Ensure staff and workers receive adequate training with regular updates in the handling of chemicals

15. Exposure Scenario	
1. Use of citric acid agricultural applications. Industrial, professional & consumer	
2. Processes and activities covered by the exposure scenario	
Sector of end use (SU):	01. Agriculture, forestry, fishery
	03. Industrial uses: Uses of substances as such or in preparations/mixtures at industrial sites
	21. Consumer uses: Private households (= general public = consumers)
	22. Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Chemical product category (PC):	08. Biocidal products (e.g. Disinfectants, pest control)
	12. Fertilizers
	21. Laboratory chemicals
Process category (PROC):	03. Use in closed batch process (synthesis or formulation)
	05. Mixing or blending in batch processes for formulation of preparations/mixtures and articles (multistage and/or significant contact)
	08a. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
	08b. Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
	10. Roller application or brushing
	11. Non industrial spraying
	14. Production of preparations/mixtures or articles by tableting, compression, extrusion, pelletisation
	15. Use as laboratory reagent

	19. Hand-mixing with intimate contact and only PPE available
Article Categories [AC]:	02. Formulation of preparations/mixtures
Environmental release category (ERC):	04. Industrial use of processing aids in processes and products, not becoming part of articles
	8b. Wide dispersive indoor use of reactive substances in open systems
	8d. Wide dispersive outdoor use of processing aids in open systems
3. Operational conditions of use	
Control parameters:	Precautionary measures against electrostatic discharge to be taken. LEV and respiratory protection to be taken in areas where workers may come into contact with dust. Implement basic standards of occupational hygiene
Duration and frequency of use:	Users to specify
Maximum amount per time or activity:	Users to specify
Other operational conditions of use:	Avoid splashes and spills. Minimise manual handling.
Engineering control measures:	Local exhaust ventilation. Exposure limit values: Not known
Other protective equipment:	Good hygiene and housekeeping
Respiratory protection:	Required where ventilation is insufficient or exposure is prolonged
Hand protection:	Rubber or PVC gloves
Eye protection:	Wear safety goggles or face shield. Industrial professional - ensure eyewash and showers are in the proximity to workstation location.
Other information:	Avoid contact with the substance or contaminated objects, Ensure regular cleaning of equipment and work area; good personal hygiene, staff training and management/supervision are in place.
4. Physical form of substance / preparation / mixture or article	
Information on basic physical and chemical properties:	Solid, crystalline, acidic as a liquid
5. Product specification	
Physical form of the product:	Part of a preparation can be a liquid or solid.
Concentration of substance in preparation / mixture or article:	Users to specify
Service life of substances in articles:	Users to specify
6. Risk Management Measures	
Occupational exposure controls:	Keep area well ventilated. Precautions against dust explosion and irritation caused by dust inhalation.
Environmental Exposure Controls:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. The substance is biodegradable, has a low Kow and is not expected to bioaccumulate.
7. Consumer use:	Good hygiene and housekeeping
8. Waste management measures	
Description and information on safe handling of surplus or waste:	Neutralise before treatment in a sewage treatment plant. Disposal untreated waste should be in accordance with local, state or national legislation.
9. Exposure assessment	
Human exposure prediction:	
Workers:	Short term exposure during application. Use of PPE will to minimise handling and contact.
Consumers:	Short term exposure during application.
Method:	Not applicable
Exposure estimation:	Not known
Secondary Poisoning:	Not expected
Indirect exposure to humans via the environment:	Not expected
10. Other information	
Control parameters:	Refer to the eSDS
Method to check compliance:	Management/supervision to check that the RMMs in place are being used correctly and OCs followed. Ensure staff and workers receive adequate training with regular updates in the handling of chemicals. They must also ensure the substance is in compliance with directives and regulations concerned with the placing on the marketing of pesticidal

	products
--	----------

16. Exposure Scenario	
1. Use of citric acid in medical devices. Industrial & consumer	
2. Processes and activities covered by the exposure scenario	
Sector of end use (SU):	03. Industrial uses: Uses of substances as such or in preparations/mixtures at industrial sites
	20. Health services
	22. Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Chemical product category (PC):	20 Products such as ph-regulators, flocculants, precipitants, neutralization agents
Process category (PROC):	01. Use in closed process, no likelihood of exposure
Article Categories [AC]:	07. Industrial use of sub-stances in closed systems
Environmental release category (ERC):	8d. Wide dispersive outdoor use of processing aids in open systems
3. Operational conditions of use	
Control parameters:	Precautionary measures against electrostatic discharge to be taken. LEV and respiratory protection to be taken in areas where workers may come into contact with dust. Implement basic standards of occupational hygiene.
Duration and frequency of use:	Users to specify
Maximum amount per time or activity:	Users to specify
Other operational conditions of use:	Avoid splashes and spills. Minimise manual handling.
Engineering control measures:	Local exhaust ventilation. Exposure limit values: Not known
Other protective equipment:	Good hygiene and housekeeping
Respiratory protection:	Required where ventilation is insufficient or exposure is prolonged
Hand protection:	Rubber or PVC gloves
Eye protection:	Wear safety goggles or face shield. Industrial professional - ensure eyewash and showers are in the proximity to workstation location.
Other information:	Avoid contact with the substance or contaminated objects, Ensure regular cleaning of equipment and work area; good personal hygiene, staff training and management/supervision are in place.
4. Physical form of substance / preparation / mixture or article	
Information on basic physical and chemical properties:	Solid, crystalline, acidic as a liquid
5. Product specification	
Physical form of the product:	Part of a preparation can be a liquid or solid.
Concentration of substance in preparation / mixture or article:	Users to specify
Service life of substances in articles:	Users to specify
6. Risk Management Measures	
Occupational exposure controls:	Keep area well ventilated. Precautions against dust explosion and irritation caused by dust inhalation.
Environmental Exposure Controls:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. The substance is biodegradable, has a low Kow and is not expected to bioaccumulate.
7. Consumer use:	Good hygiene and housekeeping
8. Waste management measures	
Description and information on safe handling of surplus or waste:	Neutralise before treatment in a sewage treatment plant. Disposal untreated waste should be in accordance with local, state or national legislation.
9. Exposure assessment	
Human exposure prediction:	
Workers:	Use of PPE will to minimise handling and contact.

Consumers:	Good hygiene and housekeeping
Method:	Not applicable
Exposure estimation:	Not known
Secondary Poisoning:	Not expected
Indirect exposure to humans via the environment:	Not expected
10. Other information	
Control parameters:	Refer to the eSDS
Method to check compliance:	Management/supervision to check that the RMMs in place are being used correctly and OCs followed. Ensure staff and workers receive adequate training with regular updates in the handling of chemicals